

Key Features:

- Lifetime limited hull warranty
- Twin engine offshore bracket with welded Bomar hatch. Setup is for 30" shaft engines
- Dodger roof line profile with windshield visor with gutter drains
- Aluminum self-bailing deck includes fish box & floor grip non-skid surface
- Full pilot house with enlarged v-berth, Alaskan bulkhead, level offset aisle way, heavy-duty sliding door, & cabin windows
- Boarding ladder with welded grab handle
- One color painted side stripe to waterline with clear coat
- Cabin exterior, aft deck, cabin interior, & cuddy trunk - Marble Stone Zolatone
- Three suspension seats with severe duty chassis at helm on boxes
- Electronics box, full over-head electronics box above helm from port to starboard
- Enclosed v-berth storage with locking doors, upholstered headliner & marine carpet. Includes: v-berth sleeper cushions
- Rear cowl storage
- Wash down pump
- Triple bank battery system (Dual HD cranking marine batteries & single house battery with selector switch and ACR)
- Bilge pump with auto-float

Life is better in a North River



Experience Luxury and Innovation

Experience the redefined boating experience of the Endurance. Enjoy a smoother ride, expanded cabin space, and larger fuel/fish hold options. With a 49° hull entry, 20° deadrise, .250 transom, and 28" interior side height, it sets a new standard of excellence.

ENDURANCE	3000EXL	3200EXL	3400EXL
Length Overall	34'7"	36'7"	38'7"
Centerline Length	30'	32'	34'
Cabin Length/Height	108"/78"	108"/78"	108"/78"
Cockpit Length/Width	121"/105"	145"/105"	169"/105"
Beam	9'10"	9'10"	9'10"
Bottom	.250	.250	.250
Sides	42" x .190	42" x .190	42" x .190
Fuel Capacity - Gallons	190	255	310
Dry Weight - lbs	7,100	7,700	8,200
Person Capacity	8	10	10
Person Wt. Capacity	1,480	1,850	1,850
Max Wt. Capacity on water (Persons, Motors & Gear) - lbs	8,964	9,705	10,300
Max Horsepower*	900	900	900

^{*}Listed horsepower rating may require upgraded offshore bracket.

Boat on Trailer Dimensions - Average Values*

Dout on	Hallet Billielisi	ons Average van	ucs
Highest Fixed Point	11'10"	11'10"	11'10"
Length Overall Coupler to Main Engine	40'	42'	44'

^{*}Make of trailer will affect actual values

Endurance

30' x 9' 10" Endurance 3000EXL

32' x 9' 10" Endurance 3200EXL

34' x 9' 10" Endurance 3400EXL





Fabrication

		rabilication	
		1026 - Endurance Aft station helm, console only	
	4	1026A - Endurance Aft station helm, twin engine	
		1045 - Plano storage inside console	
		1050 - Beaching plate	
		1101 - Toe kick, welded	
		1103 - Crab pot protector (Starboard only)	
		1200E - Bracket, offshore with 1/2" plate (Over 800 HP, twin engine)	
		1220 - Bracket, welded swim deck kicker (Port)	
		1270 - Brackets, welded down rigger (Pair at FWD stern rail)	
		1300 - Inside Passage bulkhead with footrest riser & extended sleeper cushion. (Port only) Curtain replaces V-berth doors & bulkhead.	
		1455 - Cabin aft overhang, extended to 36" center length	
		1500 - Door, walk thru bow (Cuddy & V-berth eliminated)	
		1530 - Door, side boarding (Port)	
		1542 - Trim lip, aluminum at rear cowling	
		1545 - Door, transom boarding (Starboard)	
		1621A - Rear cowling storage box, single with shoe box lid	
		1622A - Rear cowling storage box, two with shoe box lids	
		1622C - Transom cowling storage: Two drop ins, welded at top of cowling, with shoe box lids. One large - centered $\&$ one smaller - portside.	
		1760 - Fish boxes, side mounted floor w/ Forespar shut off ball valve (QTY 2)	
		1761A - Fish boxes, side mounted floor w/ Whale Gulper pumps (QTY 2)	
		1800 - Ladder, roof top (Port or Starboard)	
		1820 - Fold out steps, roof top access (QTY 2)	
		2121 - Rails, welded 6" full wrap stern rails (Fore or aft of transom cowling)	
		2165C - Rod holder (QTY 3) welded to net holder (QTY 1) (Port and Starboard)	
		2200 - Rub Rails, (1 Port & 1 Starboard)	
		2200B - Rub rails, upper & lower (2 Port & 2 Starboard)	
		2220A - Rod holders, welded to fore side of roof top rod holder assembly (QTY 6)	
		2225 - Rose bud cleats, welded aft deck (QTY 4)	7.7
N. PERSONAL PROPERTY AND PROPER		2255 - Storage rack, roof top	

Fabrication

2285 - Insulate fish box sides and bottom (Per fish box option) 2600 - Frontier davit, at AKBH thru aft cabin overhang Includes: fabrication of davit, enclosure and paint (Dealer supplied winch / hauler) 2600B - Frontier davit, at AKBH thru aft cabin overhang Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler) 2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang) NOTE: Aft station option required. GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft. GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft. GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof overhang Port & Starboard	1 abi ication	
Includes: fabrication of davit, enclosure and paint (Dealer supplied winch / hauler) 2600B -Frontier davit, at AKBH thru aft cabin overhang Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler) 2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang) NOTE: Aft station option required. GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft. GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft. GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing.		
Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler) 2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang) NOTE: Aft station option required. GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft. GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft. GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof	Includes: fabrication of davit, enclosure and paint (Dealer	
(Thru aft cabin overhang) NOTE: Aft station option required. GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft. GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft. GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing.	Includes: fabrication of davit, enclosure and paint (Factory	
GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft. GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof		
GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof	GX3 - Lone Star GX3 Drum Anchor Winch - up to 30ft.	
Provisions - ONLY SK-2 - Seakeeper 2, installed in floor fish hold (Shore power option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof	GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft.	
option required) SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof		
option required) SK-A - Welded structure provisions only for Dealer installed Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof		
Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for correct welded bracing. 5012 - Outrigger boss mounting plate (QTY. 1) - AFT roof		
	Seakeeper. Choose which Seakeeper (SK-2 or SK-3), for	

Upholstery

580 - Seat, flip up with snap on cushions (Each) (Aft deck)	
625 - Swivels, installed on helm seats (Port & Starboard)	
710 - Seat, Ocean Master	

Paint Colors

4060 - Color matched Zolatone (Cabin, gunwales & aft deck)	
4115 - One color full side paint to chine	
4135 - Two color side paint to chine	
5089 - Alaskan Painted Trim Package - Lillith Zolatone w/flat clear (30-59)	







Outfitting

	Outniting	
	3002 - Anchor windlass, Lofrans LION 1000 1/4" horizontal gypsy	
	3002A - Foot switches for Lofrans LION 1000 windlass	
	3150A - Aerate, rear cowling storage box (Port)	
	3175 - Heater / defroster, Wallas Viking (7' & 9' cabin)	
	3180 - Heater / defroster, Wallas Spartan (11' cabin)	
	3220 - Light, LED rear deck (QTY 1)	
	3230 - Light, LED courtesy at aisle way (QTY 4)	
	3240 - Switch panel, additional eight switch panel	
	3382 - Dual USB-A/C combo charger (Each) (Portside)	
	3400B - Pump, Whale Gulper pump for in-floor fish box (Twin engine)	
	3431 - Alarm, high water	
	3435 - Pump, bilge, second 2200 GPH bilge pump	
h	3441 - Refrigerator, drawer Isotherm Cruise 65 SS, 2.3 Cu Ft., AC/DC (Requires 24" cabinet)	
	3443 - Refrigerator, drawer Isotherm Cruise 130 SS w/Freezer, 4.6 Cu Ft., AC/DC NOTE: Requires 24" cabinet and cannot have sink or stove above unit	
	3444 - Refrigerator, drawer Isotherm Cruise 85 SS, 3.0 Cu. Ft., AC/DC (Requires 24" cabinet)	
	3600 - Shore power for 3 batteries with 3 bank charging system	
	3610 - Shore power and upgrade to 4 batteries with 4 bank charging system	
	3630 - Shore power, Freedom XC Pro Marine 2000w Inverter w/ 4 batteries & 4 bank charging system	
	3690 - Sink, large, w/ faucet & 10 gallon tank (Requires 24" cabinet)	
	3691 - Sink, small, w/ faucet & 10 gallon tank (Requires 12" cabinet)	
	3695 - Water tank, 18 gallon upgrade (Exch. 10 gallon tank)	
	3720B - Spotlight, Go Light Stryker with remote	_
	3750 - Stove, Wallas Nordic Dt diesel with blower lid for cabin heat (Requires 24" cabinet)	

Outfitting

 Outfitting	
3751 - Diesel tank, 5 gal. aluminum tank w/ external fill & dash fuel gauge	
3770 - Toilet, flushing centered inside cuddy	
3820 - Water test, pre dealer delivery	
3825 - Windshield wiper washer system	
3830A - Fresh water system, wash down & 18 gallon tank	
3830B - Fresh water system with sink & faucet, wash down & 18 gallon tank	
3840 - Hot fresh water shower system, w/ S600EW heater, 30 gallon tank & drain sump	
3845 - Head drain, with Attwood sump pump (Requires stand up head)	
5006 - Bait tank plumbing and installation of Dealer supplied bait tank.	
5006-A - Bait tank plumbing - Provisions Only.	
5006-B - Bait tank wiring system to run continuously over night when at dock - Provisions Only.	
5093 - SEP60 IMTRA Bow Thruster - 12V Proportional (27'-31') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
5094 - SEP80 IMTRA Bow Thruster - 12V Proportional (30'-37') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
5097 - Yamaha Integration for the IMTRA/Sleipner Proportional Bow Thrusters - Note: Bow Thruster SEP60/SEP80 option and Yamaha I-DES rigging options must be selected.	
5099 - Seakeeper Ride 525 (27'-30')	
5100 - Seakeeper Ride 600 (31'-36')	
5103 - Seakeeper Ride Keypad with Ethernet Cable - Choose MFD Cable: (Garmin, Ray Marine, or Simrad)	
5107 - Cabinet, aft deck port AKBH with sink, faucet and storage below	
5108 - Sensar Marine - Boat Monitor with Bilge Sentry	

Steering

96.16	HS 2 - Hydraulic steering system, twin main engines	
100	HS YXC2 - Hydraulic steering system, Yamaha XC/XD twin	
	engines	





Fuel and Fish Hold For 9' Cabin

200G-36FB30 - 200 Gallon fuel tank & 36" Fish hold (3000EXL with 9' cabin only)	
240G-24FB30 - 240 Gallon fuel tank & 24" Fish hold (3000EXL with 9' cabin only)	
340G-0FB30 - 340 Gallon fuel tank & DELETE Fish hold (3000EXL with 9' cabin only)	/
275G-36FB32 - 275 Gallon fuel tank & 36" Fish hold (3200EXL with 9' cabin only)	
310G-24FB32 - 310 Gallon fuel tank & 24" Fish hold (3200EXL with 9' cabin only)	
415G-0FB32 - 415 Gallon fuel tank & DELETE Fish hold (3200EXL with 9' cabin only)	
340G-36FB34 - 340 Gallon fuel tank & 36" Fish hold (3400EXL with 9' cabin only)	
340G-24FB34 - 340 Gallon fuel tank & 24" Fish hold (3400EXL with 9' cabin only)	
415G-0FB34 - 415 Gallon fuel tank & DELETE Fish hold (3400EXL with 9' cabin only)	

Fuel and Fish Hold For 11' Cabin

	120G-40FB30 - 120 Gallon fuel tank & 40" Fish hold (3000EXL with 11' cabin only)	
	140G-36FB30 - 140 Gallon fuel tank & 36" Fish hold (3000EXL with 11' cabin only)	
	170G-24FB30 - 170 Gallon fuel tank & 24" Fish hold (3000EXL with 11' cabin only)	
1	255G-0FB30 - 255 Gallon fuel tank & DELETE Fish hold (3000EXL with 11' cabin only)	
14	190G-40FB32 - 190 Gallon fuel tank & 40" Fish hold (3200EXL with 11' cabin only)	
	200G-36FB32 - 200 Gallon fuel tank & 36" Fish hold (3200EXL with 11' cabin only)	M.
	240G-24FB32 - 240 Gallon fuel tank & 24" Fish hold (3200EXL with 11' cabin only)	
	340G-0FB32 - 340 Gallon fuel tank & DELETE Fish hold (3200EXL with 11' cabin only)	
	255G-40FB34 - 255 Gallon fuel tank & 40" Fish hold (3400EXL with 11' cabin only)	
	275G-36FB34 - 275 Gallon fuel tank & 36" Fish hold (3400EXL with 11' cabin only)	
A	310G-24FB34 - 310 Gallon fuel tank & 24" Fish hold (3400EXL with 11' cabin only)	
	415G-0FB34 - 415 Gallon fuel tank & DELETE Fish hold (3400EXL with 11' cabin only)	



See Dealer For Additional Options



Cabin Layouts - Choose a Port & Starboard Layout Option

9' CABIN	
CL E20A - (1) Storage seat box (60") w/cushion and back rest (Aft of helm)	
CL E20G - (1) Galley cabinet (36") & (1) Stand up flushing toilet (24") Aisle facing	
9' CABIN PORT (Includes offset aisle way upgrade)	
CL E45I-P - (1) Dinette with fixed bench seats and back rests (24" Table & footrest)	
11' CABIN (Includes 11' length upgrade)	
CL E50G - (1) Galley cabinet (60") & (1) Stand up flushing toilet (24") Aisle facing	
CL E50H - (1) Galley cabinet (48") & (1) Stand up flushing toilet (36") Forward facing	
11' CABIN PORT (Includes 11' length & offset aisle way upgrade)	
CL E60I-P - (1) Dinette with fixed bench seats and back rests (48" Table & footrest)	



