

# OFFSHORE VXL

## Key Features:

- Lifetime limited hull warranty
- Twin engine offshore bracket with welded Bomar hatch. Setup is for 30" shaft engines
- Aluminum self-bailing deck includes fish box & floor grip non-skid surface
- 13' pilot house with Alaskan bulkhead, offset aisle way, DSG heavy-duty sliding door & cabin windows
- Boarding ladder with welded grab handle
- One color painted side stripe to waterline with clear coat
- Cabin exterior, aft deck, cabin interior & cuddy trunk - Marble Stone Zolatone
- Suspension helm seats
- Electronics box, full over-head electronics box above helm from port to starboard
- Forward state room berth, stand up head, & mid-berth
- Rear cowl storage
- Wash down pump
- Triple bank battery system (Dual HD cranking marine batteries & single house battery with selector switch and ACR)
- Bilge pump with auto-float

Life is better in a North River



## Premier Performance and Comfort

Enhancing safety and convenience, this boat offers the option for larger fuel and/or fish hold capacity. With a 49° hull entry, 20° deadrise, .250 transom, and 28" interior side height, it combines versatility with reliability for your marine adventures.

OFFSHORE VXL	3700VXL
Length Overall	41'1"
Centerline Length	37'
Cabin Length/Height	156"/78"
Cockpit Length/Width	112"/120"
Beam	10'6"
Bottom	.250
Sides	50" x .190
Fuel Capacity - Gallons	340
Dry Weight - lbs	13,900
Person Capacity	12
Person Wt. Capacity	2,220
Max Wt. Capacity on water (Persons, Motors & Gear) - lbs	14,533
Max Horsepower*	1,275

\*Listed horsepower rating may require upgraded offshore bracket.

### Boat on Trailer Dimensions - Average Values\*

Highest Fixed Point	12'
Length Overall Coupler to Main Engine	47'

\*Make of trailer will affect actual values



## Offshore VXL

☐ 37' x 10' 6" Offshore 3700VXL



2026MY



### Fabrication

1026 - Endurance Aft station helm, console only	
1026A - Endurance Aft station helm, twin-engine	
1045 - Plano storage inside console	
1050 - Beaching plate	
1200DW - Bracket, offshore with 1/2" plate (Over 800 HP, triple engine)	
1270 - Brackets, welded down rigger (Pair at FWD stern rail)	
1530 - Door, side boarding (Port)	
1542 - Trim lip, aluminum at rear cowl	
1545 - Door, transom boarding (Starboard)	
1760 - Fish boxes, side mounted floor w/ Forespar shut off ball valve (QTY 2)	
1761A - Fish boxes, side-mounted floor w/ Whale Gulper pumps (QTY 2)	
1800 - Ladder, rooftop (Port or Starboard)	
2165C - Rod holder (QTY 3) welded to net holder (QTY 1) (Port and Starboard)	
2200B - Rub rails, upper & lower (2 Port & 2 Starboard)	
2220B - Rod holders, welded to fore side of rooftop rod holder assembly (QTY 8)	
2225 - Rosebud cleats, welded aft deck (QTY 4)	
2255 - Storage rack, rooftop	

### Fabrication

2285 - Insulate fish box sides and bottom (Per fish box option)	
GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft.	
GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY	
SK-4 - Seakeeper 4, installed in floor fish hold (Shore power option required)	
SK-A - Welded structure provisions only for Dealer installed Seakeeper	
5012 - Outrigger boss mounting plate (QTY 1) - AFT roof overhang Port & Starboard	

### Upholstery

710 - Seat, Ocean Master	
--------------------------	--

### Paint Colors

4060 - Color matched Zolatone (Cabin, gunwales & aft deck)	
4115 - One color full side paint to chine	
4135 - Two color side paint to chine	
5089 - Alaskan Painted Trim Package - Lillith Zolatone w/flat clear (30-59)	

### Fuel and Fish Hold For 13' Cabin

Contact North River Sales for pricing and availability	
--	--



See Dealer For Additional Options





### Outfitting

3180 - Heater / defroster, Wallas Spartan (11' cabin)	
3220 - Light, LED rear deck (QTY 1)	
3230 - Light, LED courtesy at aisle way (QTY 4)	
3240 - Switch panel, additional eight switch panel	
3382 - Dual USB-A/C combo charger (Each) (Portside)	
3400B - Pump, Whale Gulper pump for in-floor fish box (Twin engine)	
3431 - Alarm, high water	
3435 - Pump, bilge, second 2200 GPH bilge pump	
3443 - Refrigerator, drawer Isotherm Cruise 130 SS w/Freezer, 4.6 Cu Ft., AC/DC NOTE: Requires 24" cabinet and cannot have sink or stove above unit	
3610 - Shore power and upgrade to 4 batteries with 4 bank charging system	
3630 - Shore power, Freedom XC Pro Marine 2000w Inverter w/ 4 batteries & 4 bank charging system	
3720B - Spotlight, Go Light Stryker with remote	
3750 - Stove, Wallas Nordic Dt diesel with blower lid for cabin heat (Requires 24" cabinet)	
3751 - Diesel tank, 5 gal. aluminum tank w/ external fill & dash fuel gauge	
3820 - Water test, pre dealer delivery	
3825 - Windshield wiper washer system	

### Outfitting

3830B - Fresh water system with sink & faucet, wash down & 18 gallon tank	
3840 - Hot fresh water shower system, w/ S600EW heater, 30 gallon tank & drain sump	
3845 - Head drain, with Attwood sump pump (Requires stand up head)	
5006 - Bait tank plumbing and installation of Dealer supplied bait tank.	
5006-A - Bait tank plumbing - Provisions Only.	
5006-B - Bait tank wiring system to run continuously over night when at dock - Provisions Only.	
5094 - SEP80 IMTRA Bow Thruster - 12V Proportional (30'-37') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
5097 - Yamaha Integration for the IMTRA/Sleipner Proportional Bow Thrusters - Note: Bow Thruster SEP60/SEP80 option and Yamaha I-DES rigging options must be selected.	
5100 - Seakeeper Ride 600 (31'-36')	
5103 - Seakeeper Ride Keypad with Ethernet Cable - Choose MFD Cable: (Garmin, Ray Marine, or Simrad)	
5108 - Sensar Marine - Boat Monitor with Bilge Sentry	

### Steering

HS 2 - Hydraulic steering system, twin main engines	
---	--



**See Dealer For Additional Options**

**Trailer & Outboard Engine Options - Dealer to provide pricing for appropriate equipment found within the 2026MY Dealer Sales Book**

Prices subject to change. Photos include items that may not be standard features or options. Options may not be available on all models.



# Explore the Offshore VXL Interior

\*NOTE: Pictures may show items that are not standard.

