

Key Features:

- Lifetime limited hull warranty
- Twin engine offshore bracket with welded Bomar hatch. Setup is for 30" shaft engines
- Aluminum self-bailing deck, includes fish box & floor grip non-skid surface
- 12' pilot house with Alaskan bulkhead, heavy-duty sliding door & cabin windows
- Portside cabin with mid-berth sleeping area
- One color painted side stripe to waterline with clear coat
- Cabin exterior, aft deck, cabin interior & cuddy trunk - Marble Stone Zolatone
- Suspension helm seats
- Electronics box, full over-head electronics box above helm from port to starboard
- Enclosed v-berth storage with locking doors, upholstered headliner & marine carpet. Includes: v-berth sleeper cushions
- Starboard side cabin with galley and head
- Portside cabin with U-shaped dinette
- Triple bank battery system (Dual HD cranking marine batteries and single house battery with selector switch & ACR)
- · Bilge pump with auto float

Life is better in a North River



Unmatched Craftsmanship and Performance

With an Alaskan bulkhead and a 49-degree bow entry, this vessel navigates swells smoothly. It offers options for larger fuel or fish hold capacity. Featuring a 20° deadrise, a .250 transom, and 28" interior side height, it ensures stability and reliability.

and 20 meeter state freight, it cheares statement and remaining					
OFFSHORE WXL	3300WXL	3500WXL			
Length Overall	35'5"	37'5"			
Centerline Length	33'	35'			
Cabin Length/Height	144"/83"	144"/83"			
Cockpit Length/Width	103"/120"	127"/120"			
Beam	10'6"	10'6"			
Bottom	.250	.250			
Sides	50" x .190	50" x .190			
Fuel Capacity - Gallons	275	385			
Dry Weight - Ibs	12,400	13,150			
Person Capacity	12	12			
Person Wt. Capacity	2,220	2,220			
Max Wt. Capacity on water (Persons, Motors & Gear) - lbs	13,516	14,533			
Max Horsepower*	900	1,275			

^{*}Listed horsepower rating may require upgraded offshore bracket.

Boat on Trailer Dimensions - Average Values*

Boat on manor Dimensions 7 tronage values					
Highest Fixed Point	12'	12'			
Length Overall Coupler to Main Engine	43'	45'			

^{*}Make of trailer will affect actual values

Offshore WXL

33' x 10' 6" Offshore 3300WXL

35' x 10' 6" Offshore 3500WXL





Fabrication

	Fabrication	
	1015 - Aft station helm, console only	
	1020 - Aft steering helm, single engine	
	1020A - Aft steering helm, twin engine	
	1045 - Plano storage inside console	
	1050 - Beaching plate	
	1101 - Toe kick, welded	
	1103 - Crab pot protector (Starboard only)	
	1200DW - Bracket, offshore with 1/2" plate (Over 800 HP, triple engine)	
	1220 - Bracket, welded swim deck kicker (Port)	
	1270 - Brackets, welded down rigger (Pair at FWD stern rail)	
	1300 - Inside Passage bulkhead with footrest riser & extended sleeper cushion. (Port only) Curtain replaces V-berth doors & bulkhead.	
	1455 - Cabin aft overhang, extended to 36" center length	
	1456 - Cabin aft overhang, raised 4" & extended to 36" center length	
	1500 - Door, walk thru bow (Cuddy & V-berth eliminated)	
	1530 - Door, side boarding (Port)	
	1542 - Trim lip, aluminum at rear cowling	
	1545 - Door, transom boarding (Starboard)	
	1621A - Rear cowling storage box, single with shoe box lid	
	1622A - Rear cowling storage box, two with shoe box lids	
	1760 - Fish boxes, side mounted floor w/ Forespar shut off ball valve (QTY 2)	
	1761A - Fish boxes, side mounted floor w/ Whale Gulper pumps (QTY 2)	
	1800 - Ladder, roof top (Port or Starboard)	
	1820 - Fold out steps, roof top access (QTY 2)	
	2121 - Rails, welded 6" full wrap stern rails (Fore or aft of transom cowling)	
	2165C - Rod holder (QTY 3) welded to net holder (QTY 1) (Port and Starboard)	
	2200 - Rub Rails, (1 Port & 1 Starboard)	
	2200B - Rub rails, upper & lower (2 Port & 2 Starboard)	
_		

Fabrication

1 abilication	
2220B - Rod holders, welded to fore side of roof top rod holder assembly (QTY 8)	
2225 - Rose bud cleats, welded aft deck (QTY 4)	
2255 - Storage rack, roof top	
2285 - Insulate fish box sides and bottom (Per fish box option)	
2600 - Frontier davit, at AKBH thru aft cabin overhang - Includes: fabrication of davit, enclosure and paint (Dealer supplied winch / hauler)	
2600B - Frontier davit, at AKBH thru aft cabin overhang - Includes: fabrication of davit, enclosure and paint (Factory supplied Electro-Dyne winch / hauler)	
2610 - Dinghy Hoist / Davit with winch #EMD2000SSRP (Thru aft cabin overhang) NOTE: Aft station option required.	
GX4 - Lone Star GX4 Drum Anchor Winch - up to 40ft.	
GX-A - Lone Star GX3 & GX4 Drum Anchor Winch Welded Provisions - ONLY	
SK-3 - Seakeeper 3, installed in floor fish hold (Shore power option required	
SK-A - Welded structure provisions only for Dealer installed Seakeeper	
5012 - Outrigger boss mounting plate (QTY 1) - AFT roof overhang Port & Starboard	

Upholstery

330 - Cushions, sleeper custom (Requires opposing bench seat)	
580 - Seat, flip up with snap on cushions (Each) (Aft deck)	
625 - Swivels, installed on helm seats (Port & Starboard)	
710 - Seat, Ocean Master	

Paint Colors

4060 - Color matched Zolatone (Cabin, gunwales & aft deck)	
4115 - One color full side paint to chine	
4135 - Two color side paint to chine	
5089 - Alaskan Painted Trim Package - Lillith Zolatone w/flat clear (30-59)	





Outfitting

Outiliting	
3002 - Anchor windlass, Lofrans LION 1000 1/4" horizontal gypsy	
3002A - Foot switches for Lofrans LION 1000 windlass	
3150A - Aerate, rear cowling storage box (Port)	
3180 - Heater / defroster, Wallas Spartan (11' cabin)	
3220 - Light, LED rear deck (QTY 1)	
3230 - Light, LED courtesy at aisle way (QTY 4)	
3240 - Switch panel, additional eight switch panel	
3382 - Dual USB-A/C combo charger (Each) (Portside)	
3400B - Pump, Whale Gulper pump for in-floor fish box (Twin engine)	
3431 - Alarm, high water	
3435 - Pump, bilge, second 2200 GPH bilge pump	
3441 - Refrigerator, drawer Isotherm Cruise 65 SS, 2.3 Cu Ft., AC/DC (Requires 24" cabinet)	
3443 - Refrigerator, drawer Isotherm Cruise 130 SS w/Freezer, 4.6 Cu Ft., AC/DC NOTE: Requires 24" cabinet and cannot have sink or stove above unit	
3444 - Refrigerator, drawer Isotherm Cruise 85 SS, 3.0 Cu. Ft., AC/DC (Requires 24" cabinet)	
3600 - Shore power for 3 batteries with 3 bank charging system	
3610 - Shore power and upgrade to 4 batteries with 4 bank charging system	
3630 - Shore power, Freedom XC Pro Marine 2000w Inverter w/ 4 batteries & 4 bank charging system	
3690 - Sink, large, w/ faucet & 10 gallon tank (Requires 24" cabinet)	
3691 - Sink, small, w/ faucet & 10 gallon tank (Requires 12" cabinet)	
3695 - Water tank, 18 gallon upgrade (Exch. 10 gallon tank)	
3720B - Spotlight, Go Light Stryker with remote	
3750 - Stove, Wallas Nordic Dt diesel with blower lid for cabin heat (Requires 24" cabinet)	

Steering

-	HS 2 - Hy	vdraulic :	steering	system.	twin	main	engines
---	-----------	------------	----------	---------	------	------	---------

Outfitting

	Outniting	
	3751 - Diesel tank, 5 gal. aluminum tank w/ external fill & dash fuel gauge	
	3770 - Toilet, flushing centered inside cuddy	
	3820 - Water test, pre dealer delivery	
	3825 - Windshield wiper washer system	
	3830A - Fresh water system, wash down & 18 gallon tank	
	3830B - Fresh water system with sink & faucet, wash down & 18 gallon tank	
	3840 - Hot fresh water shower system, w/ S600EW heater, 30 gallon tank & drain sump	
	3845 - Head drain, with Attwood sump pump (Requires stand up head)	
	5006 - Bait tank plumbing and installation of Dealer supplied bait tank.	
	5006-A - Bait tank plumbing - Provisions Only.	
	5006-B - Bait tank wiring system to run continuously over night when at dock - Provisions Only.	
	5094 - SEP80 IMTRA Bow Thruster - 12V Proportional (30'-37') - Includes: Joystick, GRP 27 Battery & 1 Bank charging system. (Requires shore power)	
	5097 - Yamaha Integration for the IMTRA/Sleipner Proportional Bow Thrusters - Note: Bow Thruster SEP60/SEP80 option and Yamaha I- DES rigging options must be selected.	
V	5100 - Seakeeper Ride 600 (31'-36')	
	5103 - Seakeeper Ride Keypad with Ethernet Cable - Choose MFD Cable: (Garmin, Ray Marine, or Simrad)	
	5108 - Sensar Marine - Boat Monitor with Bilge Sentry	

Fuel and Fish Hold For 12' Cabin

340G-24FB33 - 340 Gallon fuel tank & 24" Fish hold (3300WXL with 12' cabin only)	
250G-40FB33 - 250 Gallon fuel tank & 40" Fish hold (3300WXL with 12' cabin only)	
500G-0FB33 - 500 Gallon fuel tank & DELETE Fish hold (3300WXL with 12' cabin only)	
475G-24FB35 - 475 Gallon fuel tank & 24" Fish hold (3500WXL with 12' cabin only)	
408G-36FB35 - 408 Gallon fuel tank & 36" Fish hold (3500WXL with 12' cabin only)	
635G-0FB35 - 635 Gallon fuel tank & DELETE Fish hold (3500WXL with 12' cabin only)	

See Dealer For Additional Options